



CERTIFIKAT

EC Certificate of Conformity No. 0402-CPD-SC1317-11

In compliance with Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD - implemented in Swedish law by PBL), as later amended, it has been stated that the construction product

Thermal insulation products for buildings In-situ-formed loose-fill mineral wool (MW) products - Part 1: Specification for the loose-fill products before installation

Product name: ISOVER InsulSafe
placed on the market by

Saint-Gobain Isover AB
SE-267 82 BILLESOLM
SVERIGE

and produced in the factory

Saint-Gobain Isover AB, SE-267 82 BILLESOLM, SVERIGE

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body

No. 0402 - SP Technical Research Institute of Sweden

has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 14064-1:2010

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 28th November 2011 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly or at the latest until 27th November 2016.

This is issue No. 1.

Borås 28th November 2011

SP Technical Research Institute of Sweden
Certification - Notified Body No. 0402


Lennart Månsson
Certification Manager


Johan Åkesson
Certification Officer

SP Technical Research Institute of Sweden

Postal address Phone / Fax Reg. number E-mail / Internet
SP +46 10 516 50 00 556464-6874 info@sp.se
Box 857 +46 33 13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

Swedish Notified Bodies are appointed by SWEDAC, the Swedish Board for Accreditation and Conformity Assessment, under the terms of Swedish legislation.
This certificate may not be reproduced other than in full, except with the prior written approval by SP.

PX18040



CERTIFIKAT

No. 0402-CPD-SC1317-11 - Appendix 1

Dated 28th November 2011

**Thermal insulation products for buildings-
In-situ-formed loose-fill mineral wool (MW)products-
Part 1: Specification for the loose-fill products before installation**

Product name: ISOVER InsulSafe

Designation code regarding installation in lofts: MW-SS EN 14064-1 -S2-MU1

Designation code regarding installation in masonry cavity walls and frame constructions:
MW-SS EN 14064-1 -S1-MU1

Essential property	Classification for different constructions				
	Lofts inclination $\leq 15^\circ$	Lofts inclination $\leq 30^\circ$	Masonry cavity walls and frame constructions $\leq 25^\circ$	Masonry cavity walls and frame constructions $\leq 45^\circ$	Masonry cavity walls and frame constructions $\leq 90^\circ$
Density Installed	$\geq 15 \text{ kg/m}^3$	$\geq 18 \text{ kg/m}^3$	$\geq 21 \text{ kg/m}^3$	$\geq 26 \text{ kg/m}^3$	$\geq 30 \text{ kg/m}^3$
Declared Thermal conductivity, λ_D	0,042 W/m \cdot °K	0,040 W/m \cdot °K	0,037 W/m \cdot °K	0,035 W/m \cdot °K	0,034 W/m \cdot °K
Reaction to fire	Euroclass A1	Euroclass A1	Euroclass A1	Euroclass A1	Euroclass A1

Appendix, page 1(1) Sign: 

SP Technical Research Institute of Sweden

Postal address Phone / Fax Reg.number E-mail / Internet
SP +46 10 516 50 00 556464-6874 info@sp.se
Box 857 +46 33 13 55 02 www.sp.se
SE-501 15 Borås
SWEDEN

Swedish Notified Bodies are appointed by SWEDAC, the Swedish Board for Accreditation and Conformity Assessment, under the terms of Swedish legislation.

This certificate may not be reproduced other than in full, except with the prior written approval by SP.